

# The Starvation Treatment Of Diabetes With A Series Of Graduated Diets 1917

## The Starvation Treatment of Diabetes with Graduated Diets in 1917: A Historical Perspective

The early 20th century witnessed a landscape of medical understanding vastly different from today's. Diabetes, a disease now effectively managed, presented a formidable challenge. One approach that gained traction, albeit controversial, was the **starvation treatment of diabetes**, often implemented using a series of graduated diets. This article explores the historical context,

methods, purported benefits, and ultimately, the limitations of this now-obsolete approach to managing diabetes, focusing on the practices of 1917. We'll examine relevant keywords such as **Allen's regime**, **carbohydrate restriction**, **diabetic diets 1917**, and **early diabetes management**.

## **Introduction: A Radical Approach to Blood Sugar Control**

Before the discovery of insulin in 1921, managing diabetes relied heavily on dietary interventions. The prevailing understanding centered on the belief that restricting carbohydrate intake could significantly lower blood sugar levels. This led to the development of various starvation-based diets, a radical approach compared to modern treatment. One prominent method, often referred to as Allen's regime, involved a period of near-total starvation followed by a gradual reintroduction of foods, meticulously monitored to prevent hyperglycemia. The year 1917 saw the widespread adoption and rigorous application of these methods, revealing both potential and significant limitations.

## Allen's Regime and the Graduated Diet Approach: Methods and Principles

Frederick M. Allen, a physician at Rockefeller Institute, significantly shaped the approach to dietary management of diabetes in the early 20th century. His **Allen's regime**, a cornerstone of the **starvation treatment of diabetes** in 1917, involved a strict, meticulously planned series of **graduated diets**. The initial phase involved near-total starvation, drastically reducing carbohydrate intake to minimal levels. This severe restriction aimed to "starve" the body of excess glucose, thereby lowering blood sugar.

Following this initial phase, the diet was gradually advanced, incrementally introducing carbohydrates back into the patient's meal plan. Careful monitoring of urine for glucose and ketone bodies was crucial. The goal was to identify the individual's "tolerance level"—the maximum amount of carbohydrates the patient could consume without experiencing significant hyperglycemia. This process, involving close observation and adjustment of food intake, constituted the "graduated" aspect of the treatment. The underlying principle was to find the precise balance between sufficient caloric intake to maintain the patient's overall health and a

carbohydrate restriction to avoid severe hyperglycemia.

## **Purported Benefits and Limitations of the 1917 Approach**

The perceived benefits of the **starvation treatment of diabetes** with graduated diets in 1917 were primarily focused on blood sugar control. By drastically reducing carbohydrate intake, physicians observed a decrease in glycosuria (glucose in the urine) and a reduction in symptoms like polyuria (excessive urination) and polydipsia (excessive thirst). This initial success offered hope to those living with diabetes, a disease previously perceived as inevitably fatal.

However, the limitations were substantial. The near-starvation phase was incredibly difficult for patients, leading to malnutrition, weakness, and potentially severe complications. The long-term efficacy was questionable; many patients experienced a relapse once they resumed a more normal diet. Furthermore, the lack of understanding of insulin's role in glucose metabolism meant that the underlying cause of diabetes remained largely unaddressed. The method relied on meticulous monitoring and careful dietary adjustments, a demanding and resource-intensive process, difficult for most patients and medical practitioners alike. The overall impact was a treatment that offered temporary improvement but failed to provide a sustainable solution. The

limitations highlight the crucial advancements made possible by the discovery of insulin.

## Diabetic Diets in 1917: A Historical Context

The prevailing understanding of **diabetic diets 1917** reflected the limited knowledge of metabolic processes. The focus on carbohydrate restriction stemmed from observations linking high carbohydrate intake with hyperglycemia. However, the lack of understanding about insulin's critical role in glucose metabolism resulted in a treatment strategy that focused solely on restricting a single macronutrient rather than addressing the fundamental physiological issue. The medical community's understanding was evolving, but the tools and knowledge available in 1917 severely limited treatment options. This historical context helps us appreciate the substantial progress made in diabetes management since then.

## Conclusion: A Legacy of Lessons Learned

The **starvation treatment of diabetes** with graduated diets in 1917, while representing a significant effort to address a life-threatening condition, ultimately highlights the limitations of medical practices when fundamental physiological mechanisms are not fully understood. Although

the approach provided some temporary relief, it was ultimately unsustainable, harsh, and lacked the precision and efficacy of modern treatments. The legacy of this approach serves as a reminder of the importance of ongoing research, continuous improvement in medical knowledge, and the development of effective, humane treatment methods for chronic diseases. The story of this approach underscores the remarkable progress made in diabetes care, a testament to medical advancements that have vastly improved the lives of millions.

## FAQ

### **Q1: What were the specific foods allowed in the graduated diets of 1917?**

A1: The specific foods allowed varied depending on the individual patient's tolerance level and the phase of the diet. Generally, the initial starvation phase involved minimal caloric intake, often with broth or skimmed milk. As the diet progressed, small portions of protein-rich foods like lean meats and vegetables low in carbohydrates were introduced cautiously, followed by carefully measured portions of carbohydrates. The entire process was closely monitored, and adjustments were made based on the patient's response.

**Q2: How long did the starvation phase typically last?**

A2: The duration of the near-starvation phase varied, depending on the individual patient's response and the severity of their diabetes. It could range from several days to a few weeks. The goal was to achieve a significant reduction in blood sugar levels before gradually reintroducing carbohydrates.

**Q3: Was Allen's regime universally accepted?**

A3: No, Allen's regime, while influential, was not without its critics. Some physicians questioned its severity and potential long-term effects. The considerable hardship imposed on patients also raised ethical concerns.

**Q4: How did Allen's regime compare to other diabetes treatments of the time?**

A4: In 1917, there were few effective treatments for diabetes. Allen's regime, along with other forms of stringent dietary restrictions, was among the primary approaches. There were no medications or insulin therapy available.

**Q5: What role did monitoring play in the treatment?**

A5: Monitoring was crucial. Patients' urine was regularly tested for glucose and ketone bodies to gauge their response to dietary changes and to adjust the carbohydrate intake accordingly. This constant monitoring was a central aspect of the graduated diet approach.

**Q6: What were the long-term outcomes for patients undergoing this treatment?**

A6: The long-term outcomes were often mixed. While some patients experienced temporary improvements in blood sugar control, the diet's severity often led to malnutrition and other health problems. The sustained success was limited, and many patients saw a relapse once the strict dietary regimen was relaxed.

**Q7: How did the discovery of insulin change diabetes treatment?**

A7: The discovery of insulin revolutionized diabetes management. Insulin therapy provided a direct means to regulate blood sugar levels, eliminating the need for the severe dietary restrictions of the Allen regime and dramatically improving the lives and life expectancies of people with diabetes.

**Q8: Are any aspects of the 1917 approach relevant to modern diabetes management?**

A8: While the extreme starvation aspect is obsolete, the principle of careful carbohydrate management remains a key component of modern diabetes management. However, this is balanced with a focus on overall nutritional health, regular exercise, and the use of insulin or other medications as needed to maintain healthy blood sugar levels. The historical context provides a valuable lesson in the evolution of medical understanding and treatment.

## **The Famine Approach to Diabetes Management: A Look Back at 1917's Graduated Diets**

The early twentieth period witnessed diverse techniques to managing sugar diabetes. One particularly harsh approach that gained some traction was the use of starvation, implemented through a series of progressively lessening diets. This method, popular in 1917, presents a captivating case example in the progression of medical understanding and the obstacles experienced in controlling chronic illnesses before the arrival of contemporary treatments.

This article will examine the rationale behind these restrictive food plans, their execution, the

deficiencies, and their ultimate failure. We will furthermore reflect on the larger background of health awareness at the time and why these radical actions demonstrated the limitations of accessible therapies.

The foundation of the 1917 starvation treatment for diabetes rested on the assumption that restricting sugar consumption would reduce blood sugar concentrations. This method, while ostensibly rational at the time, ignored the complexity of glucose pathophysiology. Basically, the plan entailed a sequence of incrementally stringent diets, commencing with a moderately permissive diet and progressively decreasing carbohydrate intake throughout numerous periods.

The intensity of these diets changed substantially according to the person's state and the medical practitioner's evaluation. Certain diets could have featured only minimal portions of poultry and fats, with a virtual total lack of carbohydrates. The method was monitored closely, and adjustments were made if necessary based on the individual's reply.

However, the consequences of this extreme approach were often devastating. Individuals experienced from deficiency, exhaustion, and various further issues. The lack of necessary minerals resulted to severe medical concerns, and a number of people died as a direct

consequence of the therapy itself.

The shortcoming of this strategy emphasized the incomplete comprehension of diabetes then. The emphasis primarily on starch limitation neglected the significance of additional food elements and the intricate interactions within the body's physiological mechanisms.

The gradual fade-out of the starvation regimen for diabetes occurred with advances in healthcare understanding of the condition. The arrival of the hormone treatment in the early twenties revolutionized diabetes management, offering a more secure and superior option to the harsh starvation methods of the earlier decade.

In closing, the 1917 starvation treatment for diabetes serves as a harsh memory of the constraints of early healthcare methods and the necessity of empirical study in the creation of effective treatments. The story highlights the essential role of ongoing education and adjustment in the area of health.

### **Frequently Asked Questions (FAQs):**

**1. Q: Were there any positive aspects to the starvation diets at all?** A: While ethically

problematic and ultimately unsuccessful, the extreme restriction in the 1917 diets did demonstrate the link between carbohydrate intake and blood sugar levels. This primitive understanding laid some groundwork for future, less harmful, dietary approaches.

2. **Q: Why were these diets so popular in 1917?** A: Limited understanding of diabetes coupled with a lack of effective treatments left physicians grasping at solutions. The logic behind reducing carbohydrate intake seemed sound, even if the execution proved deadly.

3. **Q: What replaced the starvation diets?** A: The discovery and use of insulin in the 1920s revolutionized diabetes treatment, offering a much safer and more effective way to manage blood sugar levels.

4. **Q: What ethical considerations arise from this historical approach?** A: The starvation diets represent a significant ethical lapse. The prioritization of a potentially harmful experimental treatment over patient well-being is clearly unacceptable by modern medical standards.

[https://wifi.nunsys.com/130926/29ZR100427/ITUNE/find/sap-scm\\_apo\\_global\\_available\\_to-promis-e-gatp-step-by-step-complete-guide\\_part-2\\_advanced-apo\\_gatp-state\\_of-the-art\\_atp\\_checks\\_in-the\\_order\\_to\\_cash\\_otc-business\\_process.pdf](https://wifi.nunsys.com/130926/29ZR100427/ITUNE/find/sap-scm_apo_global_available_to-promis-e-gatp-step-by-step-complete-guide_part-2_advanced-apo_gatp-state_of-the-art_atp_checks_in-the_order_to_cash_otc-business_process.pdf)

[https://wifi.nunsys.com/143609/37285FJ/ITUNE/link/go-math-grade\\_\\_3\\_\\_chapter-10.pdf](https://wifi.nunsys.com/143609/37285FJ/ITUNE/link/go-math-grade__3__chapter-10.pdf)  
[https://wifi.nunsys.com/143609/9L279766O0/PPT/file/critical-cultural\\_\\_awareness-managing\\_stereo\\_types\\_through\\_intercultural-language-education.pdf](https://wifi.nunsys.com/143609/9L279766O0/PPT/file/critical-cultural__awareness-managing_stereo_types_through_intercultural-language-education.pdf)  
[https://wifi.nunsys.com/5P8W955/6P3W509332/EPDF/slug/michelin\\_\\_greece\\_map-737\\_\\_mapscount\\_r\\_y\\_michelin.pdf](https://wifi.nunsys.com/5P8W955/6P3W509332/EPDF/slug/michelin__greece_map-737__mapscount_r_y_michelin.pdf)  
[https://wifi.nunsys.com/130926/547R50831N/PAGE/file/suzuki\\_\\_dl1000-v-strom\\_workshop-service-repair\\_\\_manual-download-2002-2009.pdf](https://wifi.nunsys.com/130926/547R50831N/PAGE/file/suzuki__dl1000-v-strom_workshop-service-repair__manual-download-2002-2009.pdf)  
[https://wifi.nunsys.com/ob/B67O978868260913/TEXT/dl/white\\_mughals\\_love-and-betrayal-in\\_\\_eighteenth\\_century\\_india.pdf](https://wifi.nunsys.com/ob/B67O978868260913/TEXT/dl/white_mughals_love-and-betrayal-in__eighteenth_century_india.pdf)  
[https://wifi.nunsys.com/lo/L26O787/CHAPTER/visit/earth\\_\\_systems\\_syllabus\\_georgia.pdf](https://wifi.nunsys.com/lo/L26O787/CHAPTER/visit/earth__systems_syllabus_georgia.pdf)  
[https://wifi.nunsys.com/MK87533393/MK41534/RTF/niche/my-life\\_as\\_reindeer-road\\_\\_kill\\_the\\_incredible\\_worlds-of\\_\\_wally\\_mcdoogle-9.pdf](https://wifi.nunsys.com/MK87533393/MK41534/RTF/niche/my-life_as_reindeer-road__kill_the_incredible_worlds-of__wally_mcdoogle-9.pdf)  
[https://wifi.nunsys.com/eu/U1E5366197260913/EPUB/upload/new-english\\_file\\_\\_upper-intermediate-test\\_5.pdf](https://wifi.nunsys.com/eu/U1E5366197260913/EPUB/upload/new-english_file__upper-intermediate-test_5.pdf)  
[https://wifi.nunsys.com/143609/874171J/ITUNE/go/hyundai-wheel\\_loader-hl740-7a\\_\\_hl740tm\\_\\_7a-service\\_manual.pdf](https://wifi.nunsys.com/143609/874171J/ITUNE/go/hyundai-wheel_loader-hl740-7a__hl740tm__7a-service_manual.pdf)